

Healthy-Skin Program – Mini-Reference

Using the first 2-pages of Usage-Charts below, you can complete your own CUSTOM Reference, found on page 3, to determine the correct usage of the PRODUCTS within the **NZYMES Healthy-Skin Program**. Record your Pet’s weight here (). Now, find and **HIGHLIGHT** that weight in each **applicable** Chart. Then, using the associated USAGE figures for your Pet’s weight, fill in the EMPTY BOXES on the Mini-Reference – on page three. This process should take only a few minutes – to create this single critical REFERENCE PAGE for using the products on a daily basis.

CHOOSE one of the two charts below for using the correct Antioxidant product. The Antioxidants are a REQUIRED component of Long-Term Maintenance. If you purchased a **SMALL KIT, use this FIRST Chart...**

SMALL KIT PURCHASED? ----- Usage is Antioxidant TREATS DOUBLED Usage for 60 Days or More** – AFTER the Intro Week				
	Weight of Pet			
	1 – 10 Lbs	11 – 60 Lbs	61 – 150 Lbs	151 + Lbs
Normal Usage:	1/2 Treat per day	1 Treat per day	2 Treats per day	3 Treats per day
Doubled Usage:	1 Treat per day	2 Treats per day	4 Treats per day	6 Treats per day

OR, for a **LARGE KIT, use THIS Chart...**

LARGE KIT PURCHASED? ----- Usage is Sprouted GRANULES DOUBLED Usage for 60 Days or More** – AFTER the Intro Week				
	Weight of Pet			
	1 – 10 Lbs	11 – 60 Lbs	61 – 150 Lbs	151 + Lbs
Normal Usage:	¼ Teaspoon a day	½ Teaspoon a day	1 Teaspoon a day	1.5 Teaspoons a day
Doubled Usage:	½ Teaspoon a day	1 Teaspoon a day	2 Teaspoons a day	3 Teaspoons a day

****DOUBLING of Antioxidants may need to exceed 60-Days for more severe cleansing. Call for help.**

Use the Chart below to determine a value to mark on your **Mini-Reference** for Bac~Pak usage.

Digestive Supplement ----- Using Bac~Pak Plus NEVER Doubled – NO Usage for First 3 Weeks (21 days)				
	Weight of Pet			
	1 – 10 Lbs	11 – 40 Lbs	41 – 200 Lbs	201 - 400 Lbs
Daily Usage:	1/8 Scoop per DAY	1/4 Scoop per DAY	½ Scoop per DAY	1 Scoop per DAY

Bac~Pak is a ONCE-A-DAY supplement – added to food. Using the provided plastic 1-Gram Scoop, and eye-balling to the best of your ability, dispense the proper amount within food to be consumed immediately. Alternatively, you can mix with a tiny amount of PLAIN yogurt, and let the animal consume the mixture.

CONTINUED ON NEXT PAGE...

Healthy-Skin Program – Mini-Reference

For proper usage of the **Liquids** – within our Healthy-Skin Program – the Charts are a bit more complex, but still fairly easy to find your weight. It may be best to get a current weight for your pet – if you are just guessing. *NOTE the pink and blue coding – to lead you to the right section.

Ox-E-Drops Usage: Given TWICE Daily From 1 st Day – NEVER Doubled		Black-Leaf Drops Usage: Given TWICE Daily DOUBLED – for 60-DAYS from Usage Start – on “Day 8”		
Pet Weight	Drop Count to Use	Pet Weight	Normal Count	Doubled Usage
1 – 40 lbs	2 Drops, twice a day	4 – 16 lbs	2	4
41 – 60 lbs	3 Drops, twice a day	17 – 29 lbs	3	6
61 – 80 lbs	4 Drops, twice a day	30 – 41 lbs	4	8
81 – 100 lbs	5 Drops, twice a day	42 – 54 lbs	5	10
101 – 120 lbs	6 Drops, twice a day	55 – 66 lbs	6	12
121 – 140 lbs	7 Drops, twice a day	67 – 79 lbs	7	14
141 – 160 lbs	8 Drops, twice a day	80 – 90 lbs	8	16
161 – 180 lbs	9 Drops, twice a day	91 – 101 lbs	9	18
181 – 200 lbs	10 Drops, twice a day	102 – 112 lbs	10	20
201 – 220 lbs	11 Drops, twice a day	113 – 123 lbs	11	22
221 – 240 lbs	12 Drops, twice a day	124 – 134 lbs	12	24
241 – 260 lbs	10 Drops, twice a day	135 – 145 lbs	13	26
261 – 280 lbs	11 Drops, twice a day	146 – 156 lbs	14	28
281 – 300 lbs	12 Drops, twice a day	157 – 171 lbs	15	30
300+ lbs	See HORSE Chart	172 – 186 lbs	16	32
		187 – 201 lbs	17	34
		202 – 216 lbs	18	36
		217 – 231 lbs	19	38
		232 – 246 lbs	20	40
		247 – 261 lbs	21	42
		262 – 277 lbs	22	44
		278 – 300 lbs	23	46
INSTRUCTION: Drops are added to a Teaspoon of water - for DILUTION - which can then be added to food that will be immediately consumed; OR, this water can be used orally – using a dropper or a Syringe to dispense the mixture along the teeth-line in the mouth – being careful not to gag or choke the pet. ALSO – add a few drops to water dish when refilling – to help keep water fresh/pure.		INSTRUCTION: Product is NOT used during INTRO WEEK. These drops DO NOT have to be diluted, and can be dispensed directly – into food that will be immediately consumed.		

****THE NEXT PAGE – is the Mini-Reference Page – that must be completed by using values you should HIGHLIGHT in the various Charts above. Once you have this page, there should be no confusion about how to use, OR ‘how much’ of each item to be added to the daily DIET for your pet. At the top of the page is an area to record your actual START DATE – for getting going with the program. This is important to record.**

Healthy-Skin Program – Mini-Reference

This Mini-Reference is designed to increase **clarity** and make your daily challenge a bit easier. It is not meant to take anything away from the main instructions (Yellow + Blue sheets).

Record your START DATE = ____/____/____

Based on the WEIGHT of your pet () lbs, follow the guidelines below for daily usage of the products, either as Dietary Supplements, or for use TOPICALLY – as described below.

Using the ANTIOXIDANT TREATS of Small Kit (cross out this section if you have a Large Kit)
INTRO WEEK: Give a Normal Dose, which = () TREAT(s) - per Day
NEXT 60 DAYS: Double the normal Dose, which = () TREAT(s) – per Day
THEREAFTER: Return to the Normal Dose, () TREAT(s) - per Day
**This product is REQUIRED for long-term maintenance – to keep problems from returning.

Using the SPROUTED GRANULES of Large Kit (cross out this section if you have a Small Kit)
INTRO WEEK: Give a Normal Dose, which = () Teaspoon(s) – of Granules per Day
NEXT 60 DAYS: Double the normal Dose, which = () Teaspoon(s) – of Granules per Day
THEREAFTER: Return to the Normal Dose, () Teaspoon(s) – of Granules per Day
**This product is REQUIRED for long-term maintenance – to keep problems from returning.

Using the OX-E-DROPS internally – as a Dietary Supplement
FROM DAY ONE, on: Give a Normal Dose, which = () Drops – TWICE per Day
<ul style="list-style-type: none"> • Dispense the Drops into a TEASPOON or more of water; add to food, or deliver to mouth • This product is 'Recommended' for long-term maintenance

Using the BLACK-LEAF TINCTURE internally – as a Dietary Supplement
INTRO WEEK: NONE – do NOT use this product during Week-1 (the first 7 Days)
NEXT 60 DAYS: Double the normal Dose, which = () Drops – TWICE per Day
THEREAFTER: Return to the Normal Dose, () Drops – TWICE per Day
<ul style="list-style-type: none"> • Dispense the Drops directly into food – that will be consumed immediately • This product can be used topically on bad sores (see instruction below)

Using the BAC~PAK PLUS – as a Digestive Supplement
INTRO WEEK: NONE – do NOT use this product during the First 3 Weeks (first 21 Days)
DAY 22 and AFTER: Using the 1-Gram Scoop, add () Scoop to Food, ONCE per Day
<ul style="list-style-type: none"> • This product is used ONCE Daily, and is REQUIRED for long-term maintenance

USING LIQUIDS TOPICALLY: Mix a 2% solution using the Ox-E-Drops, and BE SURE to wet all symptom areas 3-4 times per day to promote healing of surface symptoms. This is HIGHLY important. You can also apply Black-Leaf drops to really bad or open sores; you may need to allow time for Alcohol evaporation by dispensing into a saucer (or similar) before usage on skin.
