

OK, I'VE GOT MY HEALTHY-SKIN KIT... NOW WHAT DO I DO?

PRODUCT USAGES DESCRIBED HERE OVERRIDE THE DIRECTIONS ON THE BOTTLES

INTRODUCTORY WEEK: As a slow RAMP-UP, only 2 parts of the **Healthy-Skin Kit** are used during **WEEK ONE (1)**. Use only the **NZYMES® Treats** or **Granules** and the **Ox-E-Drops** (as shown on the calendar). **Do not begin using the BacPak Plus until the beginning of week four (4)**.

5 RULES YOU MUST FOLLOW!

- ➔ **1. USE THE NZYMES® HEALTHY-SKIN PRODUCTS EVERYDAY.**
Follow directions outlined in the Daily Calendar on page 2. (see reverse side).
- ➔ **2. FEED APPROVED FOODS! (See our Healthy-Skin Foods List)**
Avoid high-glycemic foods and treats (see page 3) that are known to contribute growth to the internal problem. See our list of **Recommended Pet Foods for Yeast Problems** online.
- ➔ **3. SHAMPOO TWICE WEEKLY (Use Recommended Shampoos Pg. 4)**
The purpose here is to break down and remove the decaying material that comes out through the skin. We only suggest using special **Medicated Shampoos (Pg.4)**, combined with a **FINAL RINSE of Baking Soda and water** (Mix 2-3 Tsp. Baking soda per gallon of water)
- ➔ **4. APPLY TOPICALS DAILY!** Spray or wipe the **Ox-E 2% TOPICAL Solution** onto the problem areas **3 to 4 times daily AS A MINIMUM**. (see right panel). (i.e.; **SPRAY OR WIPE** the ears, feet, belly, genital areas, oozing sores, etc.)



USE LISTERINE MOUTHWASH (ORIGINAL "GOLD" COLOR ONLY)

You can use **LISTERINE** to spray or wipe the problems skin areas as many times a day as needed. The alcohol base helps cool the REDNESS and provides some minimum relief for the itch and odor. As an antiseptic, it helps with the natural recovery of the skin.

- ➔ **5. PREVENT CHEWING & SCRATCHING**
- USE A SOFT COLLAR TO PREVENT DAMAGE

Don't allow the pet to scratch and chew! This has to be enforced so the damaged areas can recover. Get a soft Elizabethan collar to prevent pet from doing more damage. Use body wraps, t-shirts, socks, etc. **TO HELP PREVENT MORE DAMAGE.**



THE TIMING: THIS CAN BE A VERY TOUGH PROBLEM TO RESOLVE. IT TAKES TIME!

With the **NZYMES® Healthy-Skin Kit** and complete adherence to the Instructions provided; **expect 3 to 7 months to advance most pets through the difficult parts of cleansing**, but some pets may require additional time. By then most are at a level where external symptoms have mostly cleared. At this point, the pet is not yet completely well. It may require another 6-12 months of use to significantly re-balance the GI tract.

With poor Immune and Digestive System health, you can never be sure when the job is finished, so don't take any chances by stopping before the job is done; plan on these extra months to finish recovery. After allowing an extra 6-12 months without noticeable symptoms of any kind, it's still in your best interest to remain proactive.

THE CLEANSING

Along with the liver and kidneys, the skin has to be considered one of the body's primary filters of toxins. Throughout the cleansing process, the toxins tend to work their way out to the surface of the skin at the extremities. These symptoms are seen first mostly at the feet, face, eyes, ears, anal glands, genitals and underbelly. Inflammation at these areas causes irritation and severe itching, resulting in pets increased chewing, licking, and scratching. There is often a blackening of the skin where the dying toxins exit and a unpleasant odor to the body. During the first months of detoxification or cleansing process, there may be times when a pet's symptoms may appear worse. This is **NORMAL** and is an expected result of the body clearing itself of the toxins.

THE MAINTENANCE

After full cleansing and to help promote a stronger immune system, we suggest using all 4 products in the **Healthy-Skin Kit** at the daily maintenance levels for at least one full year to support the GI tract to help with proper digestion. Afterwards, we suggest to continue with regular daily maintenance using our **NZYMES® 3-Pak Kit**.

HOW DO THE NZYMES PRODUCTS WORK?

1) NZYMES® ANTIOXIDANT TREATS or SPROUTED GRANULES

These products are the most important part of the **Healthy-Skin Kit**. Naturally they help to promote a healthy immune system.* They help to detoxify and cleanse the body's tissues and organs and may help to reduce redness throughout the body.

2) NZYMES® OX-E-DROPS

This natural oxidizing substance is a very important part of the **Healthy-Skin Kit**. It can act as a powerful additional tool. **INTERNALLY** it promotes the removal of dangerous toxins. **Used TOPICALLY as a 2% Solution** it helps promote positive recovery of the damaged skin and fosters healthy skin.

(Guideline: Add 1 drop of the concentrate for each 20 lbs. bodyweight twice daily - Small pets: Use a minimum 2 drops twice daily.

IMPORTANT - YOU MUST READ HERE!!!

PREPARING OX-E TOPICAL 2% SOLUTION

Mix 1 teaspoon of the Ox-E-Drops concentrate with 1 cup (8 oz.) of distilled or purified water. Apply topically 3-5 times daily to the affected areas. Store this 2% mixture away from direct sunlight.

HOW TO APPLY THE OX-E TOPICAL 2% SOLUTION

Using OX-E Topical 2% Solution For the Pet's Skin: Using a spray bottle, work the 2% topical solution down to the skin for deeper penetration. For tender areas, saturate a cotton ball, and gently dab on the 2% solution.



Using OX-E Topical 2% Solution for the Pet's Ears: Start by saturating a cotton ball and wipe the ear canal thoroughly. Afterwards wipe the ear canal dry with a soft tissue or cotton. For more severe ear problems do this 2-3 times daily for the first 4-5 days; then once or twice weekly thereafter to maintain.

Using OX-E Topical 2% Solution for the Pet's Eyes:

Option I: Using an eyedropper, put 1-2 drops in each eye twice a day. Do this daily for one week, after that, use as needed.

Option II: Saturate a clean cotton ball with the **2% OX-E Topical** solution. Gently wipe around the eyes, allowing a little of the solution into the eyes. Use a clean cotton ball to wipe each eye.

WARNING: KEEP THE OX-E CONCENTRATE AWAY FROM ALL CHILDREN AND PETS. NEVER PUT THE OX-E CONCENTRATE DIRECTLY INTO EARS, EYES OR MOUTH UNLESS IT HAS BEEN DILUTED WITH WATER TO A 2% TOPICAL SOLUTION.

3) NZYMES® TINCTURE OF BLACK LEAF

Added to the pet's food (twice daily) it provides the extra needed help with the cleansing process. This generally shortens the time it takes to resolve the overall problems.

TINCTURE OF BLACK LEAF: May be applied directly to the more severe lesions (oozing sores) of the skin. However, this product is made with alcohol and may sting upon application.
DO NOT USE NEAR OR PUT DIRECTLY INTO EARS OR EYES!

4) NZYMES® BACPAK PLUS (Begins at week 4)

This combination of **NZYMES® BacPak Plus** digestive enzymes and probiotics helps to breakdown proteins, starch, fiber, etc., to maximize nutrition derived from the food; they also scour toxins from the bloodstream. This helps slowly to re-take control of the walls of the intestinal lining, as well as supporting existing bacterial colonies and provides the key in rebuilding the beneficial intestinal flora. If you have questions please call **NZYMES.COM** for further instructions.

HEALTHY-SKIN KIT: Daily Directions & Timing Guide

INTRODUCTORY WEEK: As a slow RAMP-UP, only two parts of the Healthy-Skin Kit are used during WEEK ONE (1). Use only the **NZYMES® Treats or Granules** and the **Ox-E-Drops** (as shown on the calendar). Do not begin using the BacPak Plus until the beginning of week four (4).



NZYMES® Small Healthy-Skin Kit Includes: (Best for pets 60 lbs. and under)
 2 - NZYMES® Antioxidant Treats (60 treats ea.)
 1 - NZYMES® Ox-E-Drops (2.2 oz.)
 1 - NZYMES® Fortified BacPak Plus (200 gm.)
 1 - NZYMES® Tincture of Black-Leaf (2.2 oz.)

PRODUCT USAGES DESCRIBED HERE OVERRIDE THE DIRECTIONS ON THE BOTTLES

What to Use?

How Long Do these Last?

Double These Until Symptoms are Gone

Products	Quan	Pet Weight: 10 Lbs or Less	Pet Weight: 11 - 60 Lbs.	Pet Weight: 61 - 150 Lbs
Antioxidant Treats (60 Ea.) After INTRO WEEK , Double for a minimum of 60 days**. (This may take longer than 60 days**)	2 Ea.	Intro Week 1 = 1/2 treat per day Week 2 = Double to 1 treat per day for 60 days or until symptoms clear. 1/2 treat per day thereafter Lasts approximately 6 mos.	Intro Week 1 = 1 treat per day Week 2 = Double to 2 treats per day for 60 days or until symptoms clear. 1 treat per day thereafter Lasts approximately 2 mos.	Intro Week 1 = 2 treats per day Week 2 = Double to 4 treats per day for 60 days or until symptoms clear. 2 treats per day thereafter Lasts approximately 1 mos.
Tincture of BlackLeaf (2 oz.) After INTRO WEEK , Double for a minimum of 60 days**. (Best on pets food)	1 Ea.	Intro Week 1 = NONE WEEK 2 = 4 drops twice daily for 60 days or until symptoms clear. 2 drops twice daily thereafter Last Approx. 3-6 mos.	Intro Week 1 = NONE WEEK 2 = 4-12 drops twice daily for 60 days or until symptoms clear. 2-6 drops twice daily thereafter Last Approx. 2-4 mos.	Intro Week 1 = NONE WEEK 2 = 12-30 drops twice daily for 60 days or until symptoms clear. 6-15 drops twice daily thereafter Lasts Approx. 1-3 mos.

****PETS MAY REQUIRE LONGER TIMES TO CLEANSE COMPLETELY. THIS MAY REQUIRE THE DOUBLING OF THE ABOVE TWO PRODUCTS UNTIL SYMPTOMS HAVE CLEARED.**

Ox-E-Drops (2 oz.) Internally: Use (Minimum of 2 drops) twice daily. Dilute with a Teaspoon or Tablespoon of water and pour over pets food.	1 Ea.	Intro Week and Thereafter 2 drops twice daily. Also Add 2-3 drops to water dish each time it is filled. Last Approx. 3-5 mos.	Intro Week and Thereafter 2-3 drops twice daily. Also Add 2-3 drops to water dish each time it is filled. Lasts Approx. 2-4 mos.	Intro Week and Thereafter 3-8 Drops twice daily. Also Add 2-3 drops to water dish each time it is filled. Lasts Approx. 1-2 mos.
BacPak Plus (200 mg.) Wait until 4th week to begin (Daily amount may be split-up)	1 Ea.	Intro Week 1 = NONE Wait until Week 4 to Begin WEEK 4 = 1/4 scoop per day. Lasts Approx. 2-3 Years	Intro Week 1 = NONE Wait until Week 4 to Begin WEEK 4 = 1/4 to 1/2 scoop per day. Lasts Approx. 1-2 Years	Intro Week 1 = NONE Wait until Week 4 to Begin WEEK 4 = 1/2 scoop per day. Lasts Approx. 1 Year



NZYMES® Large Healthy-Skin Kit Includes: (Best for large pets or multiple pet homes)
 1 - NZYMES® Granules (2 lbs. = 220 Teaspoons)
 1 - NZYMES® Ox-E-Drops (2.2 oz.)
 1 - NZYMES® Fortified BacPak Plus (200 gm.)
 1 - NZYMES® Tincture of Black-Leaf (2.2 oz.)

PRODUCT USAGES DESCRIBED HERE OVERRIDE THE DIRECTIONS ON THE BOTTLES

What to Use?

How Long Do these Last?

Double These Until Symptoms are Gone

Products	Quan	Pet Weight: 11 -60 Lbs.	Pet Weight: 61 -150 Lbs.	Pet Weight: 151 Lbs. & Above
Granules (220 tsp.) After INTRO WEEK , Double for a minimum of 60 days**. (This may take longer than 60 days**)	1 Ea.	Intro Week 1 = 1/2 Tsp. per day Week 2 = Double to 1 Tsp. per day for 60 days or until symptoms clear. 1/2 Tsp. per day thereafter Lasts approximately 12 mos.	Intro Week 1 = 1 Tsp. per day Week 2 = Double to 2 Tsp. per day for 60 days or until symptoms clear. 1 Tsp. per day thereafter Lasts approximately 5 mos.	Intro Week 1 = 1.5 Tsp. per day Week 2 = Double to 3 Tsp. per day for 60 days or until symptoms clear. 1.5 Tsp. per day thereafter Lasts approximately 3 mos.
Tincture of BlackLeaf (2 oz.) After INTRO WEEK , Double for a minimum of 60 days**. (Best if mixed on pets food)	1 Ea.	Week 1 = NONE WEEK 2 = 4-12 drops twice daily for 60 days or until symptoms clear. 2-6 drops twice daily thereafter Last Approx. 2-4 mos.	Week 1 = NONE WEEK 2 = 12-30 drops twice daily for 60 days or until symptoms clear. 6-15 drops twice daily thereafter Lasts Approx. 1-3 mos.	Week 1 = NONE WEEK 2 = 30-40 drops twice daily for 60 days or until symptoms clear. 15-20 drops twice daily thereafter Lasts Approx. 1-2 mos.

****PETS MAY REQUIRE LONGER TIMES TO CLEANSE COMPLETELY. THIS MAY REQUIRE THE DOUBLING OF THE ABOVE TWO PRODUCTS UNTIL SYMPTOMS HAVE CLEARED.**

Ox-E-Drops (2 oz.) Internally: Use (Minimum of 2 drops) twice daily. Dilute with a Teaspoon or Tablespoon of water and pour over pets food.	1 Ea.	Intro Week and Thereafter 2-3 drops twice daily Also Add 2-3 drops to water dish each time it is filled. Last Approx. 2-4 mos.	Intro Week and Thereafter 3-8 drops twice daily Also Add 2-3 drops to water dish each time it is filled. Lasts Approx. 1-2 mos.	Intro Week and Thereafter 9-12 Drops twice daily Also Add 2-3 drops to water dish each time it is filled. Lasts Approx. 1 mo.
BacPak Plus (200 mg.) Wait until 4th week to begin (Daily amount may be split-up)	1 Ea.	Intro Week 1 = NONE Wait until Week 4 to Begin WEEK 4 = 1/4 to 1/2 scoop per day Lasts Approx. 1-2 Years	Intro Week 1 = NONE Wait until Week 4 to Begin WEEK 4 = 1/2 scoop per day Lasts Approx. 1 Year.	Intro Week 1 = NONE Wait until Week 4 to Begin WEEK 4 = 3/4 to 1 scoop per day Lasts Approx. 4-8 mos.

Each treat equals 1/2 teaspoon of the **NZYMES Granules**. Treats and Granules may be used in combination to meet daily requirements.

SPECIAL INSTRUCTIONS: DURING THE INTRO WEEK ONLY 2 PRODUCTS ARE USED! (NZYMES TREATS OR GRANULES AND THE OX-E-DROPS)

FEED ONLY APPROVED PET FOODS (see Healthy-Skin Foods for Yeast online)

INSTRUCTIONS DESCRIBED HERE OVERRIDE THE DIRECTIONS ON THE BOTTLES

VISIT OUR SITE OR CALL FOR HELP WITH OUR LIST OF HEALTHY-SKIN FOODS

Rather than list all the specific foods here, please visit our website for the most updated pet food recommendations. Go to www.nzymes.com - Find Healthy-Skin Foods in Our Articles. (Local Ph: 702.228.0097 or Toll-Free Ph: 877-816-6500).

In general, here are the basic criteria for choosing a good pet food for poor skin and immune conditions.


First of all, we only recommend foods that are **Super-Premium** or **Holistic**. This means the foods are made with the highest quality, Human-grade ingredients, without adding harsh chemicals, additives and by-products. You will not find these kinds of natural foods at supermarkets or the large corporate Pet stores or Discount Chains. Most often they are sold at small stores that focus on good pet foods with better ingredients.

1. Feed a Meat-based Food: Meat must be the primary ingredient, with meat sources listed in "meal" form before carbohydrates appear on the ingredients list. **WHAT DOES "MEAL" MEAN?** After water has been extracted from meat, it is then in a dry form and it is called "meal". This is a highly concentrated form of meat. It contains 11 times more meat protein than meat. When a brand claims "real, fresh, de-boned or whole beef or chicken" as the first ingredient, it usually is NOT!. In its dry, waterless form, real beef would be listed about 7th in the ingredient panel. Even though chicken, beef, or pork may be listed as the first ingredient, the food could still be primarily a carbohydrate based food unless the first MEAT ingredient listed states it is in **MEAL** form. The AAFCO manufacturing loophole here is that a maker is allowed weigh the meat as the primary ingredient before it is dehydrated and the bone and water weight removed.

2. Low-Starch Carbohydrates: The Carbohydrates used must be the low starch variety. Grains like Brown Rice, Barley, and Oatmeal are ideal carbohydrate sources as they metabolize more slowly. White rice should only appear if brown rice or rice bran is included as well to assure a low glycemic balance.

3. Non-Grain High-Glycemic Sources: like Potato, Sweet Potato, and Tapioca should be avoided along with Plain white rice, brewer's rice, corn, wheat flour/gluten, Rye or millet.

4. Feed only Naturally Preserved Food: Harsh preservatives like **BHA**, **BHT**, and **Ethoquin** commonly used in many commercial pet foods including some of the Veterinary brands may contribute to further damage to the natural bacterial flora and must be avoided. Quality foods will use generally use natural preservatives like a derivative of vitamin E or C as a preservative, normally listed as "**Mixed Tocopherols**".



FOODS OK TO SUPPORT A HEALTHY IMMUNE SYSTEM AND DIGESTIVE SYSTEM

MEATS OK TO USE: Beef, Buffalo, Duck, Chicken (eggs OK), Fish, Rabbit, Turkey, Cornish Hen, Lamb. (No RAW Northwest Pacific Salmon or Steelhead).

VEGETABLES OK TO USE: Asparagus, Broccoli, Brussel Sprouts, Cauliflower, Celery, Collard, Cucumbers, Eggplant, Green Beans, Kale, Lettuce, Parsley, Spinach, Squash, Yellow Beans.

TREATS OK TO USE: Use MEAT-BASED TREATS ONLY. See our page for pet foods and treats for yeast. Remember No wheat, white rice, potatoes or corn meal.

YOGURT PRODUCTS: Use plain yogurt only - **NO SUGAR ADDED!**

Adding the NZYMES supplements to Yogurt can serve as an effective method of feeding the supplements to the more finicky pets.

FOODS TO AVOID

THESE LISTS REFERS TO SECONDARY FOODS (TABLESCRAPS) OR TREATS PETS OFTEN RECEIVE BUT SHOULD BE AVOIDED

AVOID PET FOODS OR TREATS THAT CONTAIN: Meat-by-products, Poultry-by-products, sausage, bacon, corn beef, lunch meats, smoked turkey, Ham, sauces or gravies.

AVOID THESE TREATS: Milk Bones, Bonz, Beggin Strips, Snausages, Jerky Treats, Greenies, rawhides, pig ears and others. Look closely at ingredients.

AVOID THESE GRAINS; Enriched flour, wheat, wheat gluten, rye, millet, plain white rice, rice flour, tapioca, corn meal, corn gluten, corn starch, prepackaged breads, cereals, cookies, crackers, pretzels and pasta.

AVOID THESE FRUITS & VEGETABLES: Corn, carrots, potatoes, sweet potatoes, yams, apples, bananas, berries, **NOTE: Pet Foods on the "Healthy-Skin Foods" List may show some of these types of ingredients lower in the listing, but are not problematic.**

AVOID DAIRY PRODUCTS LIKE: Buttermilk, cheeses and Cottage cheese.

AVOID ANYTHING SWEET: Sugar, sorbitol, caramel coloring, honey, molasses, maple syrup, corn syrup or Dextrose.

AVOID THESE FOODS: Peanuts, Grapes, Onions

OTHER DIET PROGRAM RECOMMENDATIONS

NOTIFY EVERYONE THAT YOUR PET IS ON A RESTRICTED DIET

Make sure that ALL family members, neighbors, utility company employees and Postal workers are aware that your pet is on a **RESTRICTED DIET** and that it is **NOT OK to give treats or any of the problem foods.**

USE FILTERED WATER

We recommend to use filtered water for your pet. Chlorine used in city water does contribute to the breakdown of the GI tract's natural flora making it more difficult to maintain healthy gut flora and a strong immune system. Therefore you may consider purchasing a system for your tap that filters chlorine and other harmful agents out of the pet's water. We recommend a **Brita Water Filter** (www.brita.com) as inexpensive solution to cleanse your pet's regular city water supply.



SHAMPOO THE PET A MINIMUM OF TWICE EACH WEEK

It is essential to bathe the pet a minimum of **TWICE PER WEEK** to help to clear the skin of dead and decaying materials that are releasing from the body. Use a **SOFT** cloth on areas like the underbelly. If this is a more heavily coated pet, you may have to manually rub these areas to remove dead tissue. Scrub gently but do not damage the tissues. Use the shampoos listed below for the best results. Generally, the pet must be left soaking for 5-10 minutes. To purchase shampoo, search online for the product names below or see your veterinarian.



DERMAGIC (www.dermagic.com) - Use Shampoo, Skin Lotion and Salve

Meta Clean - by Keys® (www.keys-soap.com)

Microtek Shampoo by Eqyss. (www.eqyss.com)

Universal Medicated Shampoo - by Vet Solutions - Vet available
(In Canada it is called **Canadian Medicated Shampoo**).

Malaseb Shampoo - by DVM. - Vet available

Since it is very important to bath your pet twice weekly, you might consider purchasing a stand-up bath that makes bathing much easier.

Visit: www.boosterbath.com.

USE BAKING SODA FOR FINAL RINSE!

IMPORTANT AS A FINAL RINSE: Mix 2-3 teaspoons of BAKING SODA per gallon of water; make sure it completely dissolves. After waiting the amount of time suggested for the medicated shampoo to work, rinse the pet's body with clear water and then do a FINAL RINSE with the Baking Soda and Water mixture. This helps to alkalize the skin and can be a very effective way to help reduce the overall itchiness and odor associated with yeast problems.



PREVENT CHEWING AND SCRATCHING

Please recognize that the general itchiness the pet is experiencing is coming from the inside out as a result of the toxins clearing the body. Heat and humidity tend to push these toxins to the surface. So the problem areas appear more severe during summer months or in warmer climates and also in winter months when furnaces and heaters are active.

YOU MUST KEEP THE PET FROM CHEWING & SCRATCHING AS MUCH AS POSSIBLE!

Each time they scratch, chew or lick, the itch intensifies and becomes more severe. Thus, pets will often chew themselves until they bleed to try and reach an itch that only gets worse each time they touch it. The itch will not go away until the toxins inside the body have been cleansed and the GI tract's functioning and natural flora is properly restored.



USING BAKING SODA AS A TOPICAL SPRAY: Mix 1-2 teaspoons of BAKING SODA with 8 oz. of water. Use a spray bottle or cotton ball on the itchy, rashy areas. Soaking a cloth with this baking soda solution and leaving it on the more severely affected areas can be helpful to soothe the skin and reduce inflammation.

USING BAKING SODA AS A TOPICAL PASTE: Mix one (1) teaspoon of BAKING SODA with a little water and rub the paste directly onto the itchy, rashy areas (not in eyes). Most customer reports state that the pets will have a few hours of relief from the itchiness in that area.

OTHER TOPICAL PRODUCTS THAT REALLY HELP!

LISTERINE (Original) - Use it full strength and apply liberally with a sponge or spray-bottle on the affected areas. It may sting on open lesions or the more severe areas as it contains alcohol. Many customers have reported that using Listerine in this manner has been providing some relief from the itchiness. Also, they've noticed that their pets were able to sleep through the night more frequently.



DERMAGIC - This fresh-smelling topical lotion offers pets fast and effective relief from skin irritations, hot spots, black skin disease, scaly skin, flea allergies, dermatitis, and dry skin conditions. (<http://www.dermagic.com>)

EQYSS PRODUCTS (www.eqyss.com) - **Mega-Tek Coat Rebuilder** - This product is like a conditioner. Just squeeze out a good amount and rub it onto the areas that are rashy and itchy and let it dry. Also you can use the **Micro-Tek Spray**.

USE A SOFT COLLAR TO STOP CHEWING, FACE & EAR DAMAGE



"ProCollar"

(www.gandbmarketing.com)

Get a **Soft Elizabethan collar** and put it around the dog or cat's neck to keep them from chewing or scratching at the problem areas or damaging their Face and Ears. Hard plastic collars can cause stress for pets and owners. Dogs and cats become depressed when wearing a hard-plastic cone. They bang into walls and are generally disoriented. Pets can carry out normal daily activity with the soft collar.

REMEMBER!

Ask your Vet, if possible, to forego future vaccinations due to the compromised immune health of your pet. Experience has shown that subsequent vaccinations have slowed the recovery and may contribute further breakouts.



Comfy Cone

(www.allfourpaws.com)